

**RAPID**  
SERVICE

*Finished goods available ex-stock from Viking Johnson for your emergency repair requirements up to DN800, contact your official VJ partner now.*



 **VIKING JOHNSON**<sup>®</sup>

PIONEERS IN PIPE SOLUTIONS

**UltraGrip**<sup>®</sup>

**EasiRange**

**MaxiFit**

[www.vikingjohnson.com](http://www.vikingjohnson.com)



### UltraGrip DN350 to DN600



- High level of performance
- Wide tolerance delivers a reduction in stock holding costs
- Restrained fitting



### UltraGrip Amplified DN700 to DN800



- Rated 16 bar
- Unique restraint system
- Wide tolerance with 4° angularity at each end



### MaxiFit DN350 to DN600



- Design life expectancy of 50 years
- Wide tolerances
- All models accommodate angularity between pipes which allows for normal pipeline movement caused by ground settlement



### EasiRange DN350 to DN800



- No costly mains shutdown
- No disruption to customers
- A reliable and permanent leak tight seal on circumferential or longitudinal cracks

5 simple steps for ordering

Identify required product solution

Contact your preferred supplier from our UK distribution partners

Receive quote

Place order

On site delivery same day or next day

Code	Product available	Size	Gasket	Bolts
<b>UltraGrip</b>				
VJ33012	UltraGrip Coupling	352.2mm to 396mm	EPDM	Stainless Steel
VJ33013	UltraGrip Coupling	398.2mm to 442mm	EPDM	Stainless Steel
VJ33300	UltraGrip Coupling	448mm to 492mm	EPDM	Stainless Steel
VJ33301	UltraGrip Coupling	498mm to 552mm	EPDM	Stainless Steel
VJ33302	UltraGrip Coupling	558mm to 608mm	EPDM	Stainless Steel
VJ33303	UltraGrip Coupling	604mm to 648mm	EPDM	Stainless Steel
VJ33304	UltraGrip Coupling	676mm to 726mm	EPDM	Stainless Steel
VJ33112	DN350 UltraGrip Flange Adaptor - PN10/16	352.2mm to 396mm	EPDM	Stainless Steel
VJ33113	DN400 UltraGrip Flange Adaptor - PN10/16	398.2mm to 442mm	EPDM	Stainless Steel
VJ33493	DN450 UltraGrip Flange Adaptor - PN10/16	448mm to 492mm	EPDM	Stainless Steel
VJ33311	DN500 UltraGrip Flange Adaptor - PN10/16	498mm to 552mm	EPDM	Stainless Steel
VJ33312	DN500 UltraGrip Flange Adaptor - PN10/16	558mm to 608mm	EPDM	Stainless Steel
VJ33313	DN600 UltraGrip Flange Adaptor - PN10/16	604mm to 648mm	EPDM	Stainless Steel
VJ33314	DN600 UltraGrip Flange Adaptor - PN10/16	676mm to 726mm	EPDM	Stainless Steel
VJ33340	UltraGrip Stepped Coupling	398mm to 442mm / 448mm to 492mm	EPDM	Stainless Steel
VJ33341	UltraGrip Stepped Coupling	498mm to 552mm / 558mm to 608mm	EPDM	Stainless Steel
VJ33342	UltraGrip Stepped Coupling	604mm to 648mm / 676mm to 726mm	EPDM	Stainless Steel
<b>UltraGrip Amplified</b>				
VJ35060	UltraGrip Coupling	700mm-735mm	EPDM	Stainless Steel
VJ35061	UltraGrip Coupling	727mm-762mm	EPDM	Stainless Steel
VJ35062	UltraGrip Coupling	750mm-785mm	EPDM	Stainless Steel
VJ35063	UltraGrip Coupling	789mm-824mm	EPDM	Stainless Steel
VJ35064	UltraGrip Coupling	825mm-860mm	EPDM	Stainless Steel
VJ35065	UltraGrip Coupling	853mm-888mm	EPDM	Stainless Steel
VJ35161	DN700 UltraGrip Flange Adaptor - PN16	700mm to 735mm	EPDM	Stainless Steel
VJ35162	DN700 UltraGrip Flange Adaptor - PN16	727mm to 762mm	EPDM	Stainless Steel
VJ35163	DN700 UltraGrip Flange Adaptor - PN16	750mm to 785mm	EPDM	Stainless Steel
VJ35166	DN800 UltraGrip Flange Adaptor - PN16	789mm to 824mm	EPDM	Stainless Steel
VJ35167	DN800 UltraGrip Flange Adaptor - PN16	825mm to 860mm	EPDM	Stainless Steel
VJ35168	DN800 UltraGrip Flange Adaptor - PN16	853mm to 888mm	EPDM	Stainless Steel
VJ35260	UltraGrip Stepped Coupling	700mm to 735mm / 727mm to 762mm	EPDM	Stainless Steel
VJ35261	UltraGrip Stepped Coupling	700mm to 735mm / 750mm to 785mm	EPDM	Stainless Steel
VJ35262	UltraGrip Stepped Coupling	727mm to 762mm / 750mm to 785mm	EPDM	Stainless Steel
VJ35264	UltraGrip Stepped Coupling	700mm to 735mm / 789mm to 824mm	EPDM	Stainless Steel
VJ35265	UltraGrip Stepped Coupling	727mm to 762mm / 789mm to 824mm	EPDM	Stainless Steel
VJ35266	UltraGrip Stepped Coupling	789mm to 824mm / 825mm to 860mm	EPDM	Stainless Steel
VJ35267	UltraGrip Stepped Coupling	789mm to 824mm / 853mm to 888mm	EPDM	Stainless Steel
VJ35268	UltraGrip Stepped Coupling	825mm to 860mm / 853mm to 888mm	EPDM	Stainless Steel
<b>MaxiFit</b>				
VJ00222	DN600 MaxiDaptor Flange Adaptor - PN16	645.2mm to 662.2mm	EPDM	Silver Sheraplex
VJ00190	DN600 MaxiDaptor Flange Adaptor - PN16	662mm to 679mm	EPDM	Silver Sheraplex
VJ07550	MaxiStep Coupling	351mm to 368mm / 374.5mm to 391.5mm	EPDM	Silver Sheraplex
VJ17627	MaxiStep Coupling	374.5mm to 391.5mm / 404.8mm to 421.8mm	EPDM	Silver Sheraplex
VJ06805	MaxiStep Coupling	374.5mm to 391.5mm / 412mm to 429mm	EPDM	Silver Sheraplex
VJ00178	MaxiStep Coupling	476mm to 493mm / 501.9mm to 518.9mm	EPDM	Silver Sheraplex
VJ02912	MaxiStep Coupling	527mm to 544mm / 598.1mm to 615mm	EPDM	Silver Sheraplex
<b>EasiRange</b>				
VJ05108	EasiClamp	350mm to 374mm	EPDM	Silver Sheraplex
VJ00646	EasiClamp	372mm to 396mm	EPDM	Silver Sheraplex
VJ01708	EasiClamp	396mm to 420mm	EPDM	Silver Sheraplex
VJ00621	EasiClamp	420mm to 444mm	EPDM	Silver Sheraplex
VJ01605	EasiClamp	444mm to 468mm	EPDM	Silver Sheraplex
VJ04806	EasiClamp	468mm to 492mm	EPDM	Silver Sheraplex
VJ17655	EasiClamp	480mm to 504mm	EPDM	Silver Sheraplex
VJ01790	EasiClamp	488mm to 512mm	EPDM	Silver Sheraplex
VJ01606	EasiClamp	512mm to 536mm	EPDM	Silver Sheraplex
VJ04044	EasiClamp	536mm to 560mm	EPDM	Silver Sheraplex
VJ05644	EasiClamp	560mm to 5684mm	EPDM	Silver Sheraplex
VJ05408	EasiClamp	584mm to 608mm	EPDM	Silver Sheraplex
VJ04042	EasiClamp	608mm to 632mm	EPDM	Silver Sheraplex
VJ01710	EasiClamp	632mm to 656mm	EPDM	Silver Sheraplex
VJ05061	EasiClamp	656mm to 680mm	EPDM	Silver Sheraplex
VJ02218	EasiClamp	680mm to 705mm	EPDM	Silver Sheraplex
VJ02219	EasiClamp	700mm to 726mm	EPDM	Silver Sheraplex
VJ02220	EasiClamp	726mm to 752mm	EPDM	Silver Sheraplex
VJ01711	EasiClamp	751mm to 777mm	EPDM	Silver Sheraplex
VJ02222	EasiClamp	777mm to 803mm	EPDM	Silver Sheraplex
VJ02223	EasiClamp	803mm to 829mm	EPDM	Silver Sheraplex
VJ02224	EasiClamp	828mm to 852mm	EPDM	Silver Sheraplex
VJ02225	EasiClamp	852mm to 876mm	EPDM	Silver Sheraplex



## Service operating hours

**Mon-Thur 08.30-17.00 Friday 08.30-12.30**

- ▶ Latest order time for processing is 15.00 Mon-Thur and Friday 12.30
- ▶ Deliveries can be scheduled for same day, or to arrive at site next working day
- ▶ Orders can be collected from Crane Northampton site, with latest collection time 16.00 Mon-Thur and 15.00 Friday
- ▶ All orders will be subjected to a premium service charge
- ▶ Delivery terms are based on delivery only and no offloading  
Please enquire for any site specific requirements
- ▶ Customer is responsible for offloading unless otherwise agreed
- ▶ Quotes and transactions will be handled by your preferred supplier
- ▶ All Rapid Service sales are subject to VJ standard Terms and Conditions which may be found at <https://www.vikingjohnson.com/en/page/terms-and-conditions>

For further information in regards to Rapid Service you can contact  
Viking Johnson direct on [rapidservice@cranebsu.com](mailto:rapidservice@cranebsu.com) or on **01462 510444**



PIONEERS IN PIPE SOLUTIONS

46-48 WILBURY WAY  
HITCHIN, HERTFORDSHIRE  
SG4 0UD. UNITED KINGDOM  
TELEPHONE: +44 (0)1462 443322  
FAX: +44 (0)1462 443311  
EMAIL: [info@vikingjohnson.com](mailto:info@vikingjohnson.com)

[www.vikingjohnson.com](http://www.vikingjohnson.com)



VC 669122  
VC 673979



Printed in the UK



To visit our Video Library go to:  
[www.youtube.com/user/CraneBSU](http://www.youtube.com/user/CraneBSU)

- Designed and manufactured under quality management systems in accordance with BS EN ISO 9001.
- Environmental Management System accredited to ISO 14001.
- For full terms and conditions, please visit our website.
- We hope our communications have an impact on you - but not the environment - we have taken steps to ensure this brochure is printed on Forestry Stewardship Council material and the paper is made by a totally chlorine free process.

\*BS EN 14525 - Ductile Iron wide tolerance couplings and flange adaptors for use with pipes of different materials : ductile iron, steel, PVC-U, PE, fibre-cement.

Every effort has been made to ensure that the information contained in this publication is accurate at the time of publishing. Crane Ltd assumes no responsibility or liability for typographical errors or omissions or for any misinterpretation of the information within the publication and reserves the right to change without notice.

DR11289\_26\_06\_2023